

▲SPECIFICATIONS 19inch 2PIECE/FULL REVERSE

[]HUB CLEARANCE/mm

DISK COLOR			SIZE	MIDDLE CONCAVE			
MBL	BRU	PBU		STANDARD	Adisk[47]	DEEP RIM	Odisk[35]
				5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
MSL	PP2	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm			
		INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2		
¥88,500	¥103,500	¥113,500	19×7.5J	30(38)~14(54)	13(55)~1(67)	42(38)~26(54)	25(55)~13(67)
¥89,500	¥104,500	¥114,500	19×8.0J	36(38)~8(66)	7(67)~-5(79)	48(38)~20(66)	19(67)~7(79)
¥90,500	¥105,500	¥115,500	19×8.5J	43(38)~1(80)	0(81)~-12(93)	55(38)~13(80)	12(81)~0(93)
¥91,500	¥106,500	¥116,500	19×9.0J	49(38)~-5(92)	-6(93)~-18(105)	61(38)~7(92)	6(93)~-6(105)
¥92,500	¥107,500	¥117,500	19×9.5J	55(38)~-11(104)	-12(105)~-24(117)	67(38)~1(104)	0(105)~-12(117)
¥93,500	¥108,500	¥118,500	19×10.0J	62(38)~-18(118)	-19(119)~-31(131)	74(38)~-6(118)	-7(119)~-19(131)
¥94,500	¥109,500	¥119,500	19×10.5J	68(38)~-24(130)	-25(131)~-37(143)	80(38)~-12(130)	-13(131)~-25(143)
¥95,500	¥110,500	¥120,500	19×11.0J	74(38)~-30(142)	-31(143)~-43(155)	85(39)~-18(142)	-19(143)~-31(155)
¥96,500	¥111,500	¥121,500	19×11.5J	80(39)~-37(156)	-38(157)~-50(169)	85(46)~-25(156)	-26(157)~-38(169)
¥97,500	¥112,500	¥122,500	19×12.0J	74(51)~-43(168)	-44(169)~-56(181)	85(52)~-31(168)	-32(169)~-44(181)
¥98,500	¥113,500	¥123,500	19×12.5J	67(64)~-49(180)	-50(181)~-62(193)	79(64)~-37(180)	-38(181)~-50(193)
¥10,000up			PCD RANGE	5H-108~120.65			

CVSM·HRH

SIZE	DEEP CONCAVE			
	STANDARD	Hdisk[41]	DEEP RIM	Wdisk[33]
	★		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	
19×7.5J	-	-	-	-
19×8.0J	15(47)~-5(67)	-6(68)~-18(80)	23(47)~3(67)	2(68)~-10(80)
19×8.5J	22(47)~-12(81)	-13(82)~-25(94)	30(47)~-4(81)	-5(82)~-17(94)
19×9.0J	28(47)~-18(93)	-19(94)~-31(106)	36(47)~-10(93)	-11(94)~-23(106)
19×9.5J	34(47)~-24(105)	-25(106)~-37(118)	42(47)~-16(105)	-17(106)~-29(118)
19×10.0J	41(47)~-31(119)	-32(120)~-44(132)	49(47)~-23(119)	-24(120)~-36(132)
19×10.5J	47(47)~-37(131)	-38(132)~-50(144)	55(47)~-29(131)	-30(132)~-42(144)
19×11.0J	53(47)~-43(143)	-44(144)~-56(156)	61(47)~-35(143)	-36(144)~-48(156)
19×11.5J	60(47)~-50(157)	-51(158)~-63(170)	68(47)~-42(157)	-43(158)~-55(170)
19×12.0J	61(52)~-56(169)	-57(170)~-69(182)	69(52)~-48(169)	-49(170)~-61(182)
19×12.5J	55(64)~-62(181)	-63(182)~-75(194)	63(64)~-54(181)	-55(182)~-67(194)
PCD RANGE		5H-108~120.65		

CVSD·HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

- INCLUDED ACCESORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C/V39A)
INSET RANGE:1=V24C, INSET RANGE:2=V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※GNOSIS CVS 19inch FULL REVERSE PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MAT BLACK) NO EXTRA CHARGE
- CENTER CAP (EGS) ¥4,000/1PC
- BLACK CHROME BOLT ¥4,000UP/1PC
- BLACK VALVE STEM ¥500UP/1PC

Repair Parts

- No.120159 CENTER CAP ¥4,000/1PC
- No.120164 CENTER CAP ¥4,000/1PC (MAT BLACK)
- No.120259 CENTER CAP ¥4,000/1PC (EGS)
- No.180012 VALVE STEM ¥1,200/1PC (V24C)
- No.180088 BLACK VALVE STEM ¥1,700/1PC (V24K)
- No.180087 VALVE STEM ¥2,000/1PC (V39A)
- No.180089 BLACK VALVE STEM ¥2,500/1PC (V39K)

▲ SPECIFICATIONS 20inch 2PIECE/FULL REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE						
MBL	BRU	PBU		STANDARD	Adisk[48]	DEEP RIM	Odisk[36]	BIG CALIPER		Rdisk[56]
				5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★		
MSL	PP2	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm				
		INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2			
¥100,000	¥115,000	¥125,000	20 × 8.0J	31(35)~9(57)	8(58)~-14(80)	43(35)~21(57)	20(58)~-2(80)	23(35)~1(57)	0(58)~-22(80)	
¥101,000	¥116,000	¥126,000	20 × 8.5J	38(35)~2(71)	1(72)~-21(94)	50(35)~14(71)	13(72)~-9(94)	30(35)~-6(71)	-7(72)~-29(94)	
¥102,000	¥117,000	¥127,000	20 × 9.0J	44(35)~-4(83)	-5(84)~-27(106)	56(35)~8(83)	7(84)~-15(106)	36(35)~-12(83)	-13(84)~-35(106)	
¥103,000	¥118,000	¥128,000	20 × 9.5J	50(35)~-10(95)	-11(96)~-33(118)	62(35)~2(95)	1(96)~-21(118)	42(35)~-18(95)	-19(96)~-41(118)	
¥104,000	¥119,000	¥129,000	20 × 10.0J	57(35)~-17(109)	-18(110)~-40(132)	69(35)~-5(109)	-6(110)~-28(132)	49(35)~-25(109)	-26(110)~-48(132)	
¥105,000	¥120,000	¥130,000	20 × 10.5J	63(35)~-23(121)	-24(122)~-46(144)	75(35)~-11(121)	-12(122)~-34(144)	55(35)~-31(121)	-32(122)~-54(144)	
¥106,000	¥121,000	¥131,000	20 × 11.0J	69(35)~-29(133)	-30(134)~-52(156)	81(35)~-17(133)	-18(134)~-40(156)	61(35)~-37(133)	-38(134)~-60(156)	
¥107,000	¥122,000	¥132,000	20 × 11.5J	71(40)~-36(147)	-37(148)~-59(170)	83(40)~-24(147)	-25(148)~-47(170)	63(40)~-44(147)	-45(148)~-67(170)	
¥108,000	¥123,000	¥133,000	20 × 12.0J	65(52)~-42(159)	-43(160)~-65(182)	77(52)~-30(159)	-31(160)~-53(182)	57(52)~-50(159)	-51(160)~-73(182)	
¥109,000	¥124,000	¥134,000	20 × 12.5J	59(64)~-48(171)	-49(172)~-71(194)	71(64)~-36(171)	-37(172)~-59(194)	51(64)~-56(171)	-57(172)~-79(194)	
¥10,000up			PCD RANGE	5H-108~120.65						

CVSM•HRH

SIZE	DEEP CONCAVE			
	STANDARD	Hdisk[47]	DEEP RIM	Wdisk[33]
	★		5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
	INSET RANGE : 1	INSET RANGE : 2	INSET RANGE : 1	INSET RANGE : 2
20 × 8.0J	6(41)~-11(58)	-12(59)~-34(81)	20(41)~3(58)	2(59)~-20(81)
20 × 8.5J	13(41)~-18(72)	-19(73)~-41(95)	27(41)~-4(72)	-5(73)~-27(95)
20 × 9.0J	19(41)~-24(84)	-25(85)~-47(107)	33(41)~-10(84)	-11(85)~-33(107)
20 × 9.5J	25(41)~-30(96)	-31(97)~-53(119)	39(41)~-16(96)	-17(97)~-39(119)
20 × 10.0J	32(41)~-37(110)	-38(111)~-60(133)	46(41)~-23(110)	-24(111)~-46(133)
20 × 10.5J	38(41)~-43(122)	-44(123)~-66(145)	52(41)~-29(122)	-30(123)~-52(145)
20 × 11.0J	44(41)~-49(134)	-50(135)~-72(157)	58(41)~-35(134)	-36(135)~-58(157)
20 × 11.5J	51(41)~-56(148)	-57(149)~-79(171)	65(41)~-42(148)	-43(149)~-65(171)
20 × 12.0J	46(52)~-62(160)	-63(161)~-85(183)	60(52)~-48(160)	-49(161)~-71(183)
20 × 12.5J	39(65)~-68(172)	-69(173)~-91(195)	53(65)~-54(172)	-55(173)~-77(195)
PCD RANGE	5H-108~120.65			

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)

CVSD•HRH

/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

● INCLUDED ACCESSORIES: CENTER CAP/1PC•VALVE STEM/1PC(V24C/V39A)

INSET RANGE:1=V24C, INSET RANGE:2=V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※GNOSIS CVS 20inch FR PASSED JWLP-735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MAT BLACK) NO EXTRA CHARGE
- CENTER CAP (EGS) ¥4,000/1PC
- BLACK CHROME BOLT ¥4,000UP/1PC
- BLACK VALVE STEM ¥500UP/1PC

Repair Parts

- No.120159 CENTER CAP ¥4,000/1PC
- No.120164 CENTER CAP ¥4,000/1PC (MAT BLACK)
- No.120259 CENTER CAP ¥4,000/1PC (EGS)
- No.180012 VALVE STEM ¥1,200/1PC (V24C)
- No.180088 BLACK VALVE STEM ¥1,700/1PC (V24K)
- No.180087 VALVE STEM ¥2,000/1PC (V39A)
- No.180089 BLACK VALVE STEM ¥2,500/1PC (V39K)

▲ SPECIFICATIONS 20inch 2PIECE/REVERSE

[] HUB CLEARANCE/mm

DISK COLOR			SIZE	MIDDLE CONCAVE		DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adisk[47]	DEEP RIM Odisk[35]	STANDARD Hdisk[41]	DEEP RIM Wdisk[33]
				5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★	5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
MSL	PP2			INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
¥100,000			INSET	INSET	INSET	INSET	
¥100,000	¥115,000	¥125,000	20 × 8.0J	26(48)~-2(76)	38(48)~10(76)	-	-
¥101,000	¥116,000	¥126,000	20 × 8.5J	33(48)~-9(90)	45(48)~3(90)	20(49)~-22(91)	28(49)~-14(91)
¥102,000	¥117,000	¥127,000	20 × 9.0J	39(48)~-15(102)	51(48)~-3(102)	26(49)~-28(103)	34(49)~-20(103)
¥103,000	¥118,000	¥128,000	20 × 9.5J	45(48)~-21(114)	57(48)~-9(114)	32(49)~-34(115)	40(49)~-26(115)
¥104,000	¥119,000	¥129,000	20 × 10.0J	52(48)~-28(128)	64(48)~-16(128)	39(49)~-41(129)	47(49)~-33(129)
¥105,000	¥120,000	¥130,000	20 × 10.5J	58(48)~-34(140)	70(48)~-22(140)	45(49)~-47(141)	53(49)~-39(141)
¥106,000	¥121,000	¥131,000	20 × 11.0J	64(48)~-40(152)	76(48)~-28(152)	51(49)~-53(153)	59(49)~-45(153)
¥107,000	¥122,000	¥132,000	20 × 11.5J	70(49)~-47(166)	82(49)~-35(166)	58(49)~-60(167)	66(49)~-52(167)
¥108,000	¥123,000	¥133,000	20 × 12.0J	74(51)~-53(178)	85(52)~-41(178)	61(52)~-66(179)	69(52)~-58(179)
¥109,000	¥124,000	¥134,000	20 × 12.5J	67(64)~-59(190)	79(64)~-47(190)	55(64)~-72(191)	63(64)~-64(191)
¥10,000up			PCD RANGE	5H-108~120.65			

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

CVSM-SR·HRN

CVSD-SR·HRN

● INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C)

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 76MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 83MM
(IT WON'T COME OUT OF RIM FLANGE.)

※ GNOSIS CVS 20inch SR PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MAT BLACK) NO EXTRA CHARGE
- CENTER CAP (EGS) ¥4,000/1PC
- BLACK CHROME BOLT ¥4,000UP/1PC
- BLACK VALVE STEM ¥500UP/1PC

Repair Parts

- No.120159 CENTER CAP ¥4,000/1PC
- No.120164 CENTER CAP ¥4,000/1PC (MAT BLACK)
- No.120259 CENTER CAP ¥4,000/1PC (EGS)
- No.180012 VALVE STEM ¥1,200/1PC (V24C)
- No.180088 BLACK VALVE STEM ¥1,700/1PC (V24K)

[] HUB CLEARANCE/mm

▲SPECIFICATIONS 21inch 2PIECE/FULL REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE					
MBL	BRU	PBU		STANDARD Adisk[49]		DEEP RIM Odisk[37]		BIG CALIPER Rdisk[61]	
				5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)		★	
MSL	PP2	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm		INSET(LIP SIZE)mm			
		INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2		
¥113,500	¥128,500	¥138,500	21 × 7.5J	23(38)~20(41)	19(42)~2(59)	35(38)~32(41)	31(42)~14(59)	11(38)~8(41)	7(42)~10(59)
¥115,500	¥130,500	¥140,500	21 × 8.0J	29(38)~14(53)	13(54)~-4(71)	41(38)~26(53)	25(54)~8(71)	17(38)~2(53)	1(54)~-16(71)
¥117,500	¥132,500	¥142,500	21 × 8.5J	36(38)~14(60)	13(61)~-4(78)	48(38)~26(60)	25(61)~8(78)	24(38)~2(60)	1(61)~-16(78)
¥119,500	¥134,500	¥144,500	21 × 9.0J	42(38)~8(72)	7(73)~-10(90)	54(38)~20(72)	19(73)~2(90)	30(38)~-4(72)	-5(73)~-22(90)
¥121,500	¥136,500	¥146,500	21 × 9.5J	48(38)~2(84)	1(85)~-16(102)	60(38)~14(84)	13(85)~-4(102)	36(38)~-10(84)	-11(85)~-28(102)
¥123,500	¥138,500	¥148,500	21 × 10.0J	55(38)~-5(98)	-6(99)~-23(116)	67(38)~7(98)	6(99)~-11(116)	43(38)~-17(98)	-18(99)~-35(116)
¥125,500	¥140,500	¥150,500	21 × 10.5J	61(38)~-11(110)	-12(111)~-29(128)	73(38)~1(110)	0(111)~-17(128)	49(38)~-23(110)	-24(111)~-41(128)
¥127,500	¥142,500	¥152,500	21 × 11.0J	67(38)~-17(122)	-18(123)~-35(140)	79(38)~-5(122)	-6(123)~-23(140)	55(38)~-29(122)	-30(123)~-47(140)
¥129,500	¥144,500	¥154,500	21 × 11.5J	73(39)~-24(136)	-25(137)~-42(154)	85(39)~-12(136)	-13(137)~-30(154)	61(39)~-36(136)	-37(137)~-54(154)
¥10,000up			PCD RANGE	5H-108~120.65					

CVSM·HRH

SIZE	DEEP CONCAVE			
	STANDARD Hdisk[47]		DEEP RIM Wdisk[33]	
	★		5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	
	INSET(LIP SIZE)mm		INSET(LIP SIZE)mm	
	INSET RANGE:1	INSET RANGE:2	INSET RANGE:1	INSET RANGE:2
21 × 7.5J	-2(42)	-3(43)~-20(60)	12(42)	11(43)~-6(60)
21 × 8.0J	4(42)~-8(54)	-9(55)~-26(72)	18(42)~6(54)	5(55)~-12(72)
21 × 8.5J	11(42)~-8(61)	-9(62)~-26(79)	25(42)~6(61)	5(62)~-12(79)
21 × 9.0J	17(42)~-14(73)	-15(74)~-32(91)	31(42)~0(73)	-1(74)~-18(91)
21 × 9.5J	23(42)~-20(85)	-21(86)~-38(103)	37(42)~-6(85)	-7(86)~-24(103)
21 × 10.0J	30(42)~-27(99)	-28(100)~-45(117)	44(42)~-13(99)	-14(100)~-31(117)
21 × 10.5J	36(42)~-33(111)	-34(112)~-51(129)	50(42)~-19(111)	-20(112)~-37(129)
21 × 11.0J	42(42)~-39(123)	-40(124)~-57(141)	56(42)~-25(123)	-26(124)~-43(141)
21 × 11.5J	49(42)~-46(137)	-47(138)~-64(155)	63(42)~-32(137)	-33(138)~-50(155)
PCD RANGE	5H-108~120.65			

CVSD·HRH

- STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU) / COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

- INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C/V39A)
INSET RANGE:1=V24C, INSET RANGE:2=V39A

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※GNOSIS CVS 21inch FULL REVERSE PASSED JWLP-735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MAT BLACK) NO EXTRA CHARGE
- CENTER CAP (EGS) ¥4,000/1PC
- BLACK CHROME BOLT ¥4,000UP/1PC
- BLACK VALVE STEM ¥500UP/1PC

Repair Parts

- No.120159 CENTER CAP ¥4,000/1PC
- No.120164 CENTER CAP ¥4,000/1PC (MAT BLACK)
- No.120259 CENTER CAP ¥4,000/1PC (EGS)
- No.180012 VALVE STEM ¥1,200/1PC (V24C)
- No.180088 BLACK VALVE STEM ¥1,700/1PC (V24K)
- No.180087 VALVE STEM ¥2,000/1PC (V39A)
- No.180089 BLACK VALVE STEM ¥2,500/1PC (V39K)

▲ SPECIFICATIONS 21inch 2PIECE/REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD	DEEP RIM	BIG CALIPER	STANDARD	DEEP RIM
				Adisk[48]	Odisk[36]	Rdisk[56]	Hdisk[47]	Wdisk[33]
				5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	★	★	5H-100(57)(60) 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
MSL	PP2		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	
			INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	INSET RANGE	
¥117,500	¥132,500	¥142,500	21 × 8.5J	27(45)~-13(85)	39(45)~-1(85)	19(45)~-21(85)	7(46)~-32(85)	21(46)~-18(85)
¥119,500	¥134,500	¥144,500	21 × 9.0J	33(45)~-19(97)	45(45)~-7(97)	25(45)~-27(97)	13(46)~-38(97)	27(46)~-24(97)
¥121,500	¥136,500	¥146,500	21 × 9.5J	39(45)~-25(109)	51(45)~-13(109)	31(45)~-33(109)	19(46)~-44(109)	33(46)~-30(109)
¥123,500	¥138,500	¥148,500	21 × 10.0J	46(45)~-32(123)	58(45)~-20(123)	38(45)~-40(123)	26(46)~-51(123)	40(46)~-37(123)
¥125,500	¥140,500	¥150,500	21 × 10.5J	52(45)~-38(135)	64(45)~-26(135)	44(45)~-46(135)	32(46)~-57(135)	46(46)~-43(135)
¥127,500	¥142,500	¥152,500	21 × 11.0J	58(45)~-44(147)	70(45)~-32(147)	50(45)~-52(147)	38(46)~-63(147)	52(46)~-49(147)
¥129,500	¥144,500	¥154,500	21 × 11.5J	65(45)~-51(161)	77(45)~-39(161)	57(45)~-59(161)	45(46)~-70(161)	59(46)~-56(161)
¥131,500	¥146,500	¥156,500	21 × 12.0J	65(51)~-57(173)	77(51)~-45(173)	57(51)~-65(173)	46(51)~-76(173)	60(51)~-62(173)
¥133,500	¥148,500	¥158,500	21 × 12.5J	59(63)~-63(185)	71(63)~-51(185)	51(63)~-71(185)	39(64)~-82(185)	53(64)~-68(185)
¥10,000up			PCD RANGE	5H-108~120.65				

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

CVSM-SR·HRN

● INCLUDED ACCESSORIES: CENTER CAP/1PC·VALVE STEM/1PC(V24C)

CVSD-SR·HRN

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 74MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 80MM

(IT WON'T COME OUT OF RIM FLANGE.)

※ GNOSIS CVS 21inch SR PASSED JWL-P735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MAT BLACK) NO EXTRA CHAGE
- CENTER CAP (EGS) ¥4,000/1PC
- BLACK CHROME BOLT ¥4,000UP/1PC
- BLACK VALVE STEM ¥500UP/1PC

Repair Parts

- No.120159 CENTER CAP ¥4,000/1PC
- No.120164 CENTER CAP ¥4,000/1PC (MAT BLACK)
- No.120259 CENTER CAP ¥4,000/1PC (EGS)
- No.180012 VALVE STEM ¥1,200/1PC (V24C)
- No.180088 BLACK VALVE STEM ¥1,700/1PC (V24K)

▲ SPECIFICATIONS 22inch 2PIECE/REVERSE

DISK COLOR			SIZE	MIDDLE CONCAVE			DEEP CONCAVE	
MBL	BRU	PBU		STANDARD Adisk[49] 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	DEEP RIM Odisk[37] 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)	BIG CALIPER Rdisk[61] ★	STANDARD Hdisk[47] ★	DEEP RIM Wdisk[33] 5H-112(66.5) 5H-114.3(73.3) 5H-120(72.5)
MSL		PP2		INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm	INSET(LIP SIZE)mm
				INSET	INSET	INSET	INSET	INSET
¥143,000	¥163,000	¥173,000	22 × 8.5J	26(48)~-8(82)	38(48)~-4(82)	14(48)~-20(82)	7(46)~-29(82)	21(46)~-15(82)
¥145,000	¥165,000	¥175,000	22 × 9.0J	32(48)~-14(94)	44(48)~-2(94)	20(48)~-26(94)	13(46)~-35(94)	27(46)~-21(94)
¥147,000	¥167,000	¥177,000	22 × 9.5J	38(48)~-20(106)	50(48)~-8(106)	26(48)~-32(106)	19(46)~-41(106)	33(46)~-27(106)
¥149,000	¥169,000	¥179,000	22 × 10.0J	45(48)~-27(120)	57(48)~-15(120)	33(48)~-39(120)	26(46)~-48(120)	40(46)~-34(120)
¥151,000	¥171,000	¥181,000	22 × 10.5J	51(48)~-33(132)	63(48)~-21(132)	39(48)~-45(132)	32(46)~-54(132)	46(46)~-40(132)
¥153,000	¥173,000	¥183,000	22 × 11.0J	57(48)~-39(144)	69(48)~-27(144)	45(48)~-51(144)	38(46)~-60(144)	52(46)~-46(144)
¥155,000	¥175,000	¥185,000	22 × 11.5J	64(48)~-46(158)	76(48)~-34(158)	52(48)~-58(158)	45(46)~-67(158)	59(46)~-53(158)
¥157,000	¥177,000	¥187,000	22 × 12.0J	67(51)~-52(170)	79(51)~-40(170)	55(51)~-64(170)	46(51)~-73(170)	60(51)~-59(170)
¥159,000	¥179,000	¥189,000	22 × 12.5J	61(63)~-58(182)	73(63)~-46(182)	49(63)~-70(182)	39(64)~-79(182)	53(64)~-65(182)
¥10,000up			PCD RANGE	5H-108~120.65				

● STANDARD COLOR: MAT BLACK(MBL) / MAT SILVER(MSL) / BRUSHED(BRU)
/ COMPOSITE BUFFED & BRUSHED(PBU) / BUFF FINISH(PP2)

CVSM-SR·HRN

CVSD-SR·HRN

● INCLUDED ACCESORIES : CENTER CAP/1PC·VALVE STEM/1PC(V24C)

※ STANDARD BARREL FINISH: BUFF ANODIZED(D)

※ MIDDLE CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 76MM.

DEEP CONCAVE: THE SPOKE COMES OUT OF INSIDE STEPPED PART WHEN THE LIP SIZE IS LESS THAN 79MM

(IT WON'T COME OUT OF RIM FLANGE.)

※ GNOSIS CVS 22inch REVERSE PASSED JWLP-735KG(PASSENGER STANDARD).

Optional Items

- CENTER CAP (MAT BLACK) NO EXTRA CHARGE
- CENTER CAP (EGS) ¥4,000/1PC
- BLACK CHROME BOLT ¥4,000UP/1PC
- BLACK VALVE STEM ¥500UP/1PC

Repair Parts

- No.120159 CENTER CAP ¥4,000/1PC
- No.120164 CENTER CAP ¥4,000/1PC (MAT BLACK)
- No.120259 CENTER CAP ¥4,000/1PC (EGS)
- No.180012 VALVE STEM ¥1,200/1PC (V24C)
- No.180088 BLACK VALVE STEM ¥1,700/1PC (V24K)