

▲SPECIFICATIONS 20inch 3PIECE/REVERSE

[]HUB CLEARANCE/mm

STD COLOR	SIZE	STANDARD 5H-100(60) 5H-114.3(73.3)							DEEP RIM 5H-100(60) 5H-114.3(73.3)							BIG CALIPER 5H-114.3(73.3)							BIG CALIPER 5H-114.3(73.3)							
		Adisk[38]							Odisk[28]							Rdisk[55]							Tdisk[66]							
		LIP SIZE (mm)							LIP SIZE (mm)							LIP SIZE (mm)							LIP SIZE (mm)							
LGS		47	59	72	84	97	109	122	47	59	72	84	97	109	122	47	59	72	84	97	109	122	47	59	72	84	97	109	122	
GLD																														
¥116,500	20×7.5J	32 C							42 C							15 C							4 C							
¥118,000	20×8.0J	38 D	26 C						48 D	36 C						21 D	9 C						10 D	-2 C						
¥119,500	20×8.5J	45 E	32 D	19 C					55 E	42 D	29 C					28 E	15 D	2 C					17 E	4 D	-9 C					
¥121,000	20×9.0J	51 F	38 E	26 D	13 C				61 F	48 E	36 D	23 C				34 F	21 E	9 D	-4 C				23 F	10 E	-2 D	-15 C				
¥122,500	20×9.5J	57 G	45 F	32 E	19 D	7 C			67 G	55 F	42 E	29 D	17 C			40 G	28 F	15 E	2 D	-10 C			29 G	17 F	4 E	-9 D	-21 C			
¥124,000	20×10.0J	64 H	51 G	38 F	26 E	13 D	0 C		74 H	61 G	48 F	36 E	23 D	10 C		47 H	34 G	21 F	9 E	-4 D	-17 C		36 H	23 G	10 F	-2 E	-15 D	-28 C		
¥125,500	20×10.5J		57 H	45 G	32 F	19 E	7 D	-6 C		67 H	55 G	42 F	29 E	17 D	4 C		40 H	28 G	15 F	2 E	-10 D	-23 C		29 H	17 G	4 F	-9 E	-21 D	-34 C	
¥127,000	20×11.0J			51 H	38 G	26 F	13 E	0 D		61 H	48 G	36 F	23 E	10 D			34 H	21 G	9 F	-4 E	-17 D			23 H	10 G	-2 F	-15 E	-28 D		
¥128,500	20×11.5J				45 H	32 G	19 F	7 E			55 H	42 G	29 F	17 E				28 H	15 G	2 F	-10 E				17 H	4 G	-9 F	-21 E		
¥130,000	20×12.0J					38 H	26 G	13 F				48 H	36 G	23 F						21 H	9 G	-4 F					10 H	-2 G	-15 F	
¥131,500	20×12.5J						32 H	19 G					42 H	29 G							15 H	2 G						4 H	-9 G	
¥133,000	20×13.0J							26 H						36 H								9 H								-2 H
¥10,000up	PCD RANGE	5H-98~120.65														5H-98~120														

VS/XXSR·65~95GL

▲SPECIFICATIONS 19inch 3PIECE/REVERSE

[]HUB CLEARANCE/mm

STD COLOR	SIZE	STANDARD 5H-100(60) 5H-114.3(73.3)							DEEP RIM 5H-100(60) 5H-114.3(73.3)							BIG CALIPER 5H-114.3(73.3)							BIG CALIPER 5H-114.3(73.3)							
		Adisk[35]							Odisk[28]							Rdisk[52]							Tdisk[57]							
		LIP SIZE (mm)							LIP SIZE (mm)							LIP SIZE (mm)							LIP SIZE (mm)							
LGS		50	62	75	87	100	112	125	50	62	75	87	100	112	125	50	62	75	87	100	112	125	50	62	75	87	100	112	125	
GLD																														
¥105,500	19×7.5J	32 C							39 C							15 C							10 C							
¥107,000	19×8.0J	38 D	26 C						45 D	33 C						21 D	9 C						16 D	4 C						
¥108,500	19×8.5J	45 E	32 D	19 C					52 E	39 D	26 C					28 E	15 D	2 C					23 E	10 D	-3 C					
¥110,000	19×9.0J	51 F	38 E	26 D	13 C				58 F	45 E	33 D	20 C				34 F	21 E	9 D	-4 C				29 F	16 E	4 D	-9 C				
¥111,500	19×9.5J	57 G	45 F	32 E	19 D	7 C			64 G	52 F	39 E	26 D	14 C			40 G	28 F	15 E	2 D	-10 C			35 G	23 F	10 E	-3 D	-15 C			
¥113,000	19×10.0J		51 G	38 F	26 E	13 D	0 C			58 G	45 F	33 E	20 D	7 C			34 G	21 F	9 E	-4 D	-17 C			29 G	16 F	4 E	-9 D	-22 C		
¥114,500	19×10.5J			45 G	32 F	19 E	7 D	-6 C			52 G	39 F	26 E	14 D	1 C			28 G	15 F	2 E	-10 D	-23 C			23 G	10 F	-3 E	-15 D	-28 C	
¥116,000	19×11.0J				38 G	26 F	13 E	0 D				45 G	33 F	20 E	7 D				21 G	9 F	-4 E	-17 D				16 G	4 F	-9 E	-22 D	
¥117,500	19×11.5J					32 G	19 F	7 E					39 G	26 F	14 E						15 G	2 F	-10 E					10 G	-3 F	-15 E
¥119,000	19×12.0J						26 G	13 F						33 G	20 F							9 G	-4 F					4 G	-9 F	
¥120,500	19×12.5J							19 G							26 G								2 G							-3 G
¥10,000up	PCD RANGE	5H-98~115														5H-98~115														

VS/XXSR·65~95MB

●STANDARD COLOR: LIGHT GREYISH SILVER(LGS)/GOLD(GLD)

※GOLD CENTER DISK ALSO COMES WITH THE STAINLESS PIERCE BOLTS.

●INCLUDED ACCESSORIES: CENTER CAP(BLK/GLD)/ 1PC·VALVE STEM(V13C2)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※VS XX 20inch SR PASSES JWLP-735KG(FOR PASSENGER)STANDARD.

Optional Items

- CENTER CAP (RED) : NO EXTRA CHARGE
- CENTER CAP (BLACK·W EMBLEM) ¥3,000/PC
- CENTER CAP (RED·W EMBLEM) ¥3,000/PC
- CENTER CAP (SILVER·W EMBLEM) ¥3,000/PC
- TITANIUM COAT PIERCE BOLT ¥12,000UP/1PC
- GOLD PIERCE BOLT ¥5,000UP/1PC
- BLACK CHROME PIERCE BOLT ¥4,000UP/1PC
- BLACK VALVE STEM : NO EXTRA CHARGE

Repair Parts

- No.120034 CENTER CAP ¥3,000/PC
- No.120268 CENTER CAP ¥3,000/PC (RED)
- No.120280 CENTER CAP ¥3,000/PC (BLACK·W EMBLEM)
- No.120281 CENTER CAP ¥3,000/PC (RED·W EMBLEM)
- No.120294 CENTER CAP ¥3,000/PC (SILVER·W EMBLEM)
- No.180003 VALVE STEM ¥1,200/PC (V13C2) ※20/19inch(STEP RIM)
- No.180127 BLACK VALVE STEM ¥1,200/PC (V13K2) ※20/19inch(STEP RIM)

▲SPECIFICATIONS 20inch 3PIECE/FULL REVERSE

[] HUB CLEARANCE/mm

STD COLOR	LGS	GLD	SIZE	STANDARD 5H-100(60) 5H-114.3(73.3)													DEEP RIM 5H-100(60) 5H-114.3(73.3)														
				Adisk[40]													Odisk[33]														
				LIP SIZE (mm)													LIP SIZE (mm)														
				34	47	60	72	85	98	110	123	136	148	161	174	186	199	34	47	60	72	85	98	110	123	136	148	161	174	186	199
¥116,500			20×7.5J	44 D	31 C	18 B	6 A											51 D	38 C	25 B	13 A										
¥118,000			20×8.0J	50 E	37 D	25 C	12 B	-1 A										57 E	44 D	32 C	19 B	6 A									
¥119,500			20×8.5J	56 F	44 E	31 D	18 C	6 B	-7 A									63 F	51 E	38 D	25 C	13 B	0 A								
¥121,000			20×9.0J	63 G	50 F	37 E	25 D	12 C	-1 B	-13 A								70 G	57 F	44 E	32 D	19 C	6 B	-6 A							
¥122,500			20×9.5J	69 H	56 G	44 F	31 E	18 D	6 C	-7 B	-20 A							76 H	63 G	51 F	38 E	25 D	13 C	0 B	-13 A						
¥124,000			20×10.0J	76 I	63 H	50 G	37 F	25 E	12 D	-1 C	-13 B	-26 A						70 H	57 G	44 F	32 E	19 D	6 C	-6 B	-19 A						
¥125,500			20×10.5J		69 I	56 H	44 G	31 F	18 E	6 D	-7 C	-20 B	-32 A					76 I	63 H	51 G	38 F	25 E	13 D	0 C	-13 B	-25 A					
¥127,000			20×11.0J		76 J	63 I	50 H	37 G	25 F	12 E	-1 D	-13 C	-26 B	-38 A					70 I	57 H	44 G	32 F	19 E	6 D	-6 C	-19 B	-31 A				
¥128,500			20×11.5J			69 J	56 I	44 H	31 G	18 F	6 E	-7 D	-20 C	-32 B	-45 A				76 J	63 I	51 H	38 G	25 F	13 E	0 D	-13 C	-25 B	-38 A			
¥130,000			20×12.0J			76 K	63 J	50 I	37 H	25 G	12 F	-1 E	-13 D	-26 C	-38 B	-51 A				70 J	57 I	44 H	32 G	19 F	6 E	-6 D	-19 C	-31 B	-44 A		
¥131,500			20×12.5J				69 K	56 J	44 I	31 H	18 G	6 F	-7 E	-20 D	-32 C	-45 B	-57 A			76 K	63 J	51 I	38 H	25 G	13 F	0 E	-13 D	-25 C	-38 B	-50 A	
¥133,000			20×13.0J				76 L	63 K	50 J	37 I	25 H	12 G	-1 F	-13 E	-26 D	-38 C	-51 B				70 K	57 J	44 I	32 H	19 G	6 F	-6 E	-19 D	-31 C	-44 B	
¥134,500			20×13.5J					69 L	56 K	44 J	31 I	18 H	6 G	-7 F	-20 E	-32 D	-45 C				76 L	63 K	51 J	38 I	25 H	13 G	0 F	-13 E	-25 D	-38 C	
¥136,000			20×14.0J						63 L	50 K	37 J	25 I	12 H	-1 G	-13 F	-26 E	-38 D					70 L	57 K	44 J	32 I	19 H	6 G	-6 F	-19 E	-31 D	
¥137,500			20×14.5J							56 L	44 K	31 J	18 I	6 H	-7 G	-20 F	-32 E						63 L	51 K	38 J	25 I	13 H	0 G	-13 F	-25 E	
¥139,000			20×15.0J								50 L	37 K	25 J	12 I	-1 H	-13 G	-26 F							57 L	44 K	32 J	19 I	6 H	-6 G	-19 F	
¥10,000up			PCD RANGE	5H-98~130																											

SIZE	BIG CALIPER 5H-114.3(73.3)													BIG CALIPER 5H-114.3(73.3)															
	Rdisk[54]													Tdisk[60]															
	LIP SIZE (mm)													LIP SIZE (mm)															
	34	47	60	72	85	98	110	123	136	148	161	174	186	199	34	47	60	72	85	98	110	123	136	148	161	174	186	199	
20×7.5J	30 D	17 C	4 B	-8 A											24 D	11 C	-2 B	-14 A											
20×8.0J	36 E	23 D	11 C	-2 B	-15 A										30 E	17 D	5 C	-8 B	-21 A										
20×8.5J	42 F	30 E	17 D	4 C	-8 B	-21 A									36 F	24 E	11 D	-2 C	-14 B	-27 A									
20×9.0J	49 G	36 F	23 E	11 D	-2 C	-15 B	-27 A								43 G	30 F	17 E	5 D	-8 C	-21 B	-33 A								
20×9.5J	55 H	42 G	30 F	17 E	4 D	-8 C	-21 B	-34 A							49 H	36 G	24 F	11 E	-2 D	-14 C	-27 B	-40 A							
20×10.0J	62 I	49 H	36 G	23 F	11 E	-2 D	-15 C	-27 B	-40 A						56 I	43 H	30 G	17 F	5 E	-8 D	-21 C	-33 B	-46 A						
20×10.5J	68 J	55 I	42 H	30 G	17 F	4 E	-8 D	-21 C	-34 B	-46 A					62 J	49 I	36 H	24 G	11 F	-2 E	-14 D	-27 C	-40 B	-52 A					
20×11.0J	74 K	62 J	49 I	36 H	23 G	11 F	-2 E	-15 D	-27 C	-40 B	-52 A				68 K	56 J	43 I	30 H	17 G	5 F	-8 E	-21 D	-33 C	-46 B	-58 A				
20×11.5J		68 K	55 J	42 I	30 H	17 G	4 F	-8 E	-21 D	-34 C	-46 B	-59 A			75 L	62 K	49 J	36 I	24 H	11 G	-2 F	-14 E	-27 D	-40 C	-52 B	-65 A			
20×12.0J			74 L	62 K	49 J	36 I	23 H	11 G	-2 F	-15 E	-27 D	-40 C	-52 B	-65 A		68 L	56 K	43 J	30 I	17 H	5 G	-8 F	-21 E	-33 D	-46 C	-58 B	-71 A		
20×12.5J				68 L	55 K	42 J	30 I	17 H	4 G	-8 F	-21 E	-34 D	-46 C	-59 B	-71 A			62 L	49 K	36 J	24 I	11 H	-2 G	-14 F	-27 E	-40 D	-52 C	-65 B	-77 A
20×13.0J					62 L	49 K	36 J	23 I	11 H	-2 G	-15 F	-27 E	-40 D	-52 C	-65 B				56 L	43 K	30 J	17 I	5 H	-8 G	-21 F	-33 E	-46 D	-58 C	-71 B
20×13.5J						55 L	42 K	30 J	17 I	4 H	-8 G	-21 F	-34 E	-46 D	-59 C					49 L	36 K	24 J	11 I	-2 H	-14 G	-27 F	-40 E	-52 D	-65 C
20×14.0J							49 L	36 K	23 J	11 I	-2 H	-15 G	-27 F	-40 E	-52 D						43 L	30 K	17 J	5 I	-8 H	-21 G	-33 F	-46 E	-58 D
20×14.5J								42 L	30 K	17 J	4 I	-8 H	-21 G	-34 F	-46 E							36 L	24 K	11 J	-2 I	-14 H	-27 G	-40 F	-52 E
20×15.0J									36 L	23 K	11 J	-2 I	-15 H	-27 G	-40 F								30 L	17 K	5 J	-8 I	-21 H	-33 G	-46 F
PCD RANGE	5H-98~120.65																												

●STANDARD COLOR: LIGHT GREYISH SILVER(LGS)/GOLD(GLD)

VS/XXRN·60~125XX

※GOLD CENTER DISK ALSO COMES WITH THE CHROME PIERCE BOLTS.

●INCLUDED ACCESSORIES: CENTER CAP(BLK/GLD)/ 1PC·VALVE STEM(V36C)

※STANDARD BARREL FINISH: BUFF ANODIZED(D)

※VS XX 20inch FR PASSES JWLP-735KG(FOR PASSENGER)STANDARD.

※THE SPOKE WOULD COME OUT OF FENDER BY 1.0MM
WHEN THE LIP SIZE IS LESS THAN 34MM.

Optional Items

- CENTER CAP (RED) : NO EXTRA CHARGE
- CENTER CAP (BLACK·W EMBLEM) ¥3,000/PC
- CENTER CAP (RED·W EMBLEM) ¥3,000/PC
- CENTER CAP (SILVER·W EMBLEM) ¥3,000/PC
- TITANIUM COAT PIERCE BOLT ¥12,000UP/1PC
- GOLD PIERCE BOLT ¥5,000UP/1PC
- BLACK CHROME PIERCE BOLT ¥4,000UP/1PC
- GOLD VALVE STEM ¥1,000UP/1PC
- BLACK VALVE STEM : NO EXTRA CHARGE

Repair Parts

- No.120034 CENTER CAP ¥3,000/PC
- No.120268 CENTER CAP ¥3,000/PC (RED)
- No.120280 CENTER CAP ¥3,000/PC (BLACK·W EMBLEM)
- No.120281 CENTER CAP ¥3,000/PC (RED·W EMBLEM)
- No.120294 CENTER CAP ¥3,000/PC (SILVER·W EMBLEM)
- No.180077 VALVE STEM ¥1,200/PC (V36C) ※20inch
- No.180078 GOLD VALVE STEM ¥2,000/PC (V36G) ※20inch
- No.180125 BLACK VALVE STEM ¥1,700/PC (V36K) ※20inch